

# CERTIFIED DATA ERASURE REPORT

LOT: **Unique Lot ID**

CUSTOMER: **Your Company name**



SYSTEM		STORAGE DEVICE				ERASURE			
MODEL	SERIAL NUMBER	TYPE	MODEL	SERIAL NUMBER	SIZE	METHOD	VERIF.	DATE	STATUS
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2KZWC	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:19:35 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2KYXL	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:25:45 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2L09M	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:17:32 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2KZVE	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:26:34 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2GW02	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:26:01 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2L0S2	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:20:20 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2L11A	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:33:32 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2KZ73	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:24:20 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2KZ5M	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:20:54 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2L1CC	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:15:48 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240101RT	HDD	ST6000NM0034	Z4D2L0YV	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 22:30:16 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2L06H	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:16:53 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2L11C	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:19:42 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2EC4A	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:00:04 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2ELJH	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:14:40 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2KZNP	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:21:02 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2KZPW	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:14:46 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2KZLE	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:23:54 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2KZZ7	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:16:08 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2L0F8	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:19:27 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D26E0E	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 00:49:49 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002H	HDD	ST6000NM0034	Z4D2KZAT	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:10:29 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D21SQQ	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:29:49 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2FKX7	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:30:51 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2L0D6	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:21:02 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2KZK5	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:29:09 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2L0KC	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:16:26 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2KZZ9	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:27:58 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2L0W8	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:27:41 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2KYQ7	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:12:07 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2L07P	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:22:05 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2KYQ2	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:27:21 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2HNQD	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:34:13 (+00:00)	Erased
ProLiant DL380p Gen8	CZ2408002G	HDD	ST6000NM0034	Z4D2KZW2	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-06 01:23:02 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2KZND	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:40:12 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2L16A	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:41:16 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2J2ZG	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:39:19 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2L122	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:42:44 (+00:00)	Erased

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

# CERTIFIED DATA ERASURE REPORT

LOT: 53138

CUSTOMER: Delta Fiber



SYSTEM		STORAGE DEVICE				ERASURE			
MODEL	SERIAL NUMBER	TYPE	MODEL	SERIAL NUMBER	SIZE	METHOD	VERIF.	DATE	STATUS
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2KYXC	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:31:49 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2L19W	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:36:48 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2HK04	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:22:45 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	S4D0BPCZ	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:25:28 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2KBCA	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:35:37 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	S4D0AVGA	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:27:48 (+00:00)	Erased
ProLiant DL380p Gen8	CZ240800YD	HDD	ST6000NM0034	Z4D2L0WK	6001 GB	NIST SP 800-88 Rev.1 Clear	10 %	2023-09-05 11:36:30 (+00:00)	Erased
Items count for any item types: 45.									

We hereby certify that on the above mentioned data storage drives have been successfully completed a certified software erasure procedure and the entire data storage capacity of each device has been securely erased. For audit purposes, a digitally signed certificate containing detailed info about the erasure process has been stored into our database.

DATE: \_\_\_\_\_ NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_